

# EDIC

Since 1975  
FULL LINE CATALOG



INNOVATION IN CARPET AND FLOOR CARE

# EDIC SINCE 1975

Our company was founded in 1975 with the goal of designing and developing the most innovative, productive, and durable carpet care equipment and cleaning systems on the market.

That vision holds true today as EDIC continues to expand with new product lines, patented innovations, accessories, and the support of a knowledgeable staff focused first and foremost on customer service and support.

We thank you for your interest in our products and look forward to a successful new or continuing business relationship with you.

Mark Jacobs - President

# TABLE OF CONTENTS

## **MULTI-SURFACE CLEANING**

Endeavor Multi-Surface Cleaning System	2-3
CR2 Touch-Free Restroom Cleaning System	4-5
Hard Surface Cleaning Tools	6

## **PTAC CLEANING CRADLE™**

PTAC Cleaning Cradle™ In-Room PTAC Cleaning System	7
--	---

## **Portable Carpet Cleaning Machines**

### **Self-Contained Carpet Extractors**

Fivestar	8
Comet	9
Polaris	10
Supernova	11

### **Heat-Ready Portable Carpet Extractors**

Bravo Spotter	12
Galaxy 2000	13
Galaxy Pro	14
Galaxy 5	15

## **Extraction Machine Accessories**

Heat N'Run External Heater	16
Powermate Powered Carpet Wand	16
Triton & Glidemaster Carpet Wands	17
Upholstery & Detailing Tools	18
Circuit Locator	19

## **Surface Disinfecting**

Counter Strike Surface Disinfecting System	19
--	----

## **Flood Restoration**

FloodBuster	20
-------------	----

## **Auto Detailing Equipment & Accessories**

Galaxy 5 & Galaxy Auto 3000 Automotive Detailing Extractors	21
Bravo Spotter	22
Dynamo Wet/Dry Vacuum	22

## **Backpack Vacuums**

Atlas 6 & 10 Quart	23
Backpack Vacuum Filters	24

## **Floor Machines and Accessories**

Floor Machine Accessories	24
Heavy-Duty Low-Speed	25
Low-Speed	26
High-Speed Burnishers	27
Dual-Speed	28

## **Warranty**

Product Warranty Summary	29
--------------------------	----

**IMPORTANT NOTE:** *Product information and specifications are subject to change without prior written notice.*

# ENDEAVOR

(Patents Pending)

No matter the surface type or location, it can be easily reached, cleaned, and restored by the Endeavor multi-surface cleaning system from EDIC.

Finally, there is one compact and powerful solution for heated carpet & upholstery cleaning, hard surface restoration, and touch-free restroom cleaning.

With a unique upright, ergonomic design for easy transport, durable construction, and user-friendly operating features, the Endeavor is the perfect cleaning system tailored to fit each unique cleaning process.

Productivity is vital in today's competitive world, and the Endeavor provides your facility with the ultimate cleaning tool to reach your maintenance goals quickly and effectively.

## FEATURES:

- One machine, three restorative cleaning functions
- In-line heat and adjustable cleaning pressure: provides cleaning power and versatility for upholstery, carpet and hard surface cleaning (heat for carpet cleaning only)
- Powerful 8.4" Infinity Vacuum: quick water recovery and even quicker dry times
- Auto-fill/Auto-dump: uninterrupted cleaning improves productivity
- Ergonomic dolly style design, large rear wheels, handle casters, built-in skid rails, wand and tool storage: easy to maneuver, load, unload and transport by one person
- Fan cooled motor compartment: provides longevity to electrical motors and critical components
- Circuit locator: prevents blown fuses and tripped breakers
- Large recovery tank and solution tank opening: easy access for cleaning the recovery tank and filling the solution tank
- Convenient front mounted controls on top: no stooping or bending to operate




## One Machine Provides Many Restorative Cleaning Functions

### HARD SURFACE RESTORATION



### CARPET RESTORATION



### TOUCH-FREE RESTROOM



**SPECIFICATIONS:**

Model	9000I-HSH	9000I-HS
In-line heater	2000 Watt	No
Pump	Adjustable, 70-1200 PSI	Adjustable, 70-1200 PSI
Vacuum	8.4" Diameter Infinity Design	8.4" Diameter Infinity Design
Water Lift	147"	147"
Air Flow	142 CFM	142 CFM
Air Watts	673	673
Hard Surface Restoration	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Touch-Free Restroom Cleaning	Optional	Optional
Auto-fill / Auto-dump	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Wand / Tool Caddy	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
5 gallon bucket holder	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Handle casters, molded dolly style skid rails	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Power Cord	Dual, GFCI, Twistlock, 25' detachable	Dual, GFCI, Twistlock, 25' detachable
Weight	174 lbs.	167 lbs.
Rear Wheels	12" non-marking	12" non-marking
Front Casters	Dual-wheel casters	Dual-wheel casters
Optional Hose Assembly	25', 1.5" diameter vacuum hose, and 25' high pressure solution line with brass quick connects	25', 1.5" diameter vacuum hose, and 25' high pressure solution line with brass quick connects
Power Prime and Pressure Relief Valve	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Low Moisture Carpet Cleaning	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Smart Circuit Locator	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Capacity	13 Gallons	13 Gallons

**OPTIONAL ACCESSORIES:**

1200REV	Revolution 12" hard surface tool
TR1-9501FS-A	Triton carpet wand
1034-11001FB	12" dual-jet SS carpet wand
1039-9502FB	4" SS detailing tool
334ACH	Squeegee Wand, single jet, up to 1200 PSI
9000AC	High Pressure Spray Gun Applicator. Best Used at 500-1200 PSI
991RS	Chemical feed system for Touch-Free restroom cleaning
2540AC-HP	25' sol/vac hose assembly
700REV	Countertop Revolution hand held hard surface detailing tool
9034ACK	Touch-Free bathroom cleaning kit, comes with squeegee wand and spray gun tool



1200REV



TR1-9501FS-A



1034-11001FB



1039-9502FB



9000AC



991RS



2540AC-HP



700REV

# CR2 - COMPLETE RESTROOM RESTORATION

## TOUCH-FREE RESTROOM CLEANING SYSTEM



Maintaining a clean and healthy restroom environment at any public facility can be challenging if you don't have the right tools for the job. The **CR2 & CR2 Jr.** from EDIC simplifies restroom cleaning for professional cleaners and provides a proven **touch-free cleaning system** for unmatched cleaning results that you don't have to get your hands dirty to achieve.



### Deep Clean Restrooms Without Getting Your Hands Dirty

- Touch-free system deep cleans where mop and bucket fail, leaving the restroom clean and healthy
- Adjustable 550 psi pump (operating pressure 75-500 psi) provides versatile and effective cleaning into the porous tile and grout lines and hard to reach places
- Pump adjusts down to 75 psi in rinse mode to reduce splashing and overspray when rinsing toilets and other fixtures
- Clean carpet with HEAT! Optional 2000 watt external heater - boosts cleaning performance (CR2 only)
- Complete Package: Squeegee wand with dual head, spray gun, gulper tool, QuickDri, hand squeegee, sink attachment, and hoses included
- Built-in auto chemical feed system for high productivity and accurate chemical metering
- Wand, gun, and hose caddies designed for easy transport and storage
- CR2 has 17 gallon capacity for long run-times and CR2 Jr. has 12 gallon capacity in a compact unit
- Optional carpet cleaning kit for deep restorative carpet and upholstery cleaning (CR2 only)
- Simple two bolt access to components for easy maintenance and service
- Laminated operations card with links to training videos



## KEY FEATURES:



## GET YOUR HANDS



## OFF THE TOILET!

## SPECIFICATIONS:

Model	2700RC	2000RC
<b>Solution Tank</b>	17 gallon	12 gallon
<b>Recovery Tank</b>	15 gallon	10 gallon
<b>Vacuum Motor</b>	Single 3-stage	Single 3-stage
<b>Pump</b>	550 psi/.86 GPM	550 psi/.86 GPM
<b>Water Lift</b>	138"	138"
<b>Tank &amp; Body</b>	Polyethylene	Polyethylene
<b>Baseplate</b>	1/4" aluminum	1/4" aluminum
<b>Rear Wheels</b>	10" non-marking	10" non-marking
<b>Casters</b>	4" locking	4" locking
<b>Power Cord</b>	50 ft. detachable twist-lock cord	25 ft. detachable twist-lock cord
<b>Dimensions</b>	39"H x 37"L x 22"W	35"H x 31"L x 18"W
<b>Weight</b>	108 lbs.	89 lbs.
<b>Electrical Draw</b>	14.5 amps	14.5 amps
<b>Vacuum Hose</b>	45' x 1.5" diameter, 50% stretch, 50% wire supported	45' x 1.5" diameter, 50% stretch, 50% wire supported
<b>Solution Hose</b>	50' high pressure	50' high pressure
<b>Squeegee</b>	Swivel wand with squeegee/brush head	Swivel wand with squeegee/brush head
<b>Pressure Gun</b>	High/low pressure	High/low pressure
<b>Exhaust Hose</b>	45' x 1.25" Diameter, stretch hose	45' x 1.25" Diameter, stretch hose
<b>QuickDri Tool</b>	Reducer cuff and hand tool	Reducer cuff and hand tool
<b>GFCI</b>	Built-in to extractor	Built-in to extractor

## Standard Tool Kit Includes




45' stretch exhaust hose with cuff, QuickDri tool and carrying bag




Dual Head, Dual Purpose wand with FLIP System




FLIP THE HEAD Squeegee & Vac



Mounted bag to carry squeegee, microfiber cloth, and other tools



SCRUB with brush head



Laminated operation line card to mount on machine or on wall



Sink fill adapter hose kit



Durable High/Low Pressure Spray Gun

## REVOLUTION TILE & GROUT



The Revolution is a tile and grout-cleaning tool that provides remarkably smooth operation, gliding easily over the floor for less operator fatigue. It has a light-weight design — only 13 lbs.! — yet it's engineered for outstanding durability. It works on uneven surfaces like grouted tile or smooth surfaces such as concrete, and can be used with truck-mounts or portables.

### MODEL:

1200REV - 12" Revolution hard surface tool, repairable ceramic swivel, 1.5"

## DUAL HEAD SQUEEGEE



The dual head aluminum squeegee wand can be attached to any extractor with 1½" diameter hose to provide quick water recovery on hard surfaces. Dual heads to scrub tough spots with the brush, then flip the head over to the squeegee for extraction.

### MODEL:

334ACH-2 - Dual head squeegee wand

## SQUEEGEE WAND



The aluminum squeegee wand can be attached to any extractor with 1½" diameter hose to provide thorough cleaning of hard floor surfaces. Clean and effectively remove surface water quickly with this powerful and effective tool.

### MODEL:

334ACH - Single-jet squeegee wand

## MR. GUN - 500 PSI



Mr. Gun from EDIC is a commercial grade misting tool for quickly applying disinfecting chemicals to multiple types of surfaces in public facilities and public areas.

### MODEL:

9000AC-2 - Mr. Gun for applying disinfecting chemicals to surfaces in a fine mist. For use with 500 psi machines.

## HIGH PRESSURE SPRAY GUNS



## MR. GUN - 200 PSI



Mr. Gun from EDIC is a commercial grade misting tool for quickly applying disinfecting chemicals to multiple types of surfaces in public facilities and public areas.

### MODEL:

9000AC-3 - Mr. Gun for applying disinfecting chemicals to surfaces in a fine mist. For use with the Counter Strike machine.

## COUNTERTOP REVOLUTION



The 7" Countertop Revolution is a smaller, hand held version of the popular Revolution tile & grout tool. Clean horizontal and vertical surfaces! The unique tear-drop design allows you to clean into the corners and tight spaces.

### MODEL:

700REV - 7" Countertop Revolution hard surface tool, Handles up to 2500 PSI.

### MODELS:

9000AC - Spray gun  
 9000AC-24 - Spray gun with 24" insulated lance  
 9000AC-36 - Spray gun with 36" insulated lance

# PTAC CLEANING CRADLE™

## IN-ROOM PTAC CLEANING SYSTEM



Hundreds of PTAC units can be found in hotels, condominiums, apartments, assisted living facilities, college dorms, and other public and private facilities.

If PTAC units go without regular cleaning maintenance, they can have a severe negative impact on indoor air quality, increased energy consumption, and even a decrease in the life span of the PTAC unit.

If cleaning maintenance is neglected too long, property owners and managers can face expensive damage to rooms and property and costly downtime in occupancy.

If you are a property owner looking for a simple solution for regular PTAC cleaning maintenance or a contractor interested in additional revenue from a new service, the patented PTAC Cleaning Cradle delivers a cost-saving solution that reduces on-site manpower, increases efficiency, and provides a quick return on investment.

### Features & Benefits

- The PTAC Cleaning Cradle was engineered to assist in the in-room cleaning of PTAC units (hotels, motels, condominiums, nursing homes, apartments, hospitals, etc.), regardless of the age of the PTAC unit
- The Cradle adjusts vertically from 2.5-16 inches off the floor so it can be used with most PTAC units in any room
- The PTAC Cleaning Cradle tilts forward or backward, left or right, to direct wastewater to the vacuum for constant removal of wastewater during the cleaning process
- Durable Stainless Steel construction, minimum wear on parts, made in the USA
- Works with any cleaning extractor machine that pumps water and has a wet and dry vacuum system
- For all access conditions, one person can load and unload
- A "Green product" in that it saves electricity, keeps mold spores and fungus out, and allows PTAC to be operating more efficiently, thus extending the life of the PTAC, increasing customer satisfaction
- Optional accessories are available for the Galaxy Pro machine for cleaning carpets, stairs, upholstery, etc.

*Point Your Phone Camera at  
this QR Code to Watch the PTAC  
Cleaning Cradle Video*



### Multi-Purpose Options


The PTAC Cleaning Cradle can be used with an existing extractor or our other multi-purpose cleaning equipment and high-pressure carpet extractors.

Pair the Cradle with our CR2 touch-free restroom cleaning system. You now have a PTAC cleaning solution, a touch-free restroom cleaner, a heat-ready carpet cleaning solution, and a surface disinfecting system in one complete package.



### MODELS:

7000AC - Patented PTAC Cleaning Cradle with hose connector  
2700IX-PTAC-K - Galaxy Pro extractor with PTAC cleaning tools





Fold-down handle for easy storage and transport

# FIVESTAR

The amazing Fivestar™ is a small, self-contained unit with powerful brush agitation to clean carpets in any location. It weighs only 40 pounds, so it's light enough for anyone to handle; plus, the compact body design and fold-down handle make it a breeze to transport and store. Remove only two screws, and the machine opens like a clamshell for easy service. The Fivestar is small enough to clean tight spaces and corners yet powerful enough to perform well in any commercial setting. A revolutionary bladder design allows you to fill and empty out of the same bucket and eliminates the need to pour the cleaning solution into the machine. Fill the bucket, set it on the Fivestar, close the lid, and begin cleaning. No more spills or messes!



## SPECIFICATIONS:

Model	411TR	401TR
<b>Solution Tank</b>	3 gallon	3 gallon
<b>Lift-Off Recovery Tank</b>	3 gallon	3 gallon
<b>Solution Pump</b>	85 psi	85 psi
<b>Vacuum Motor</b>	2 HP, 112 CFM	2 HP, 112 CFM
<b>Water lift</b>	107"	107"
<b>Brush Motor</b>	1/6 HP	1/6 HP
<b>Brush Speed</b>	2,500 RPM	2,500 RPM
<b>Brush Style</b>	Chevron Design, 4 rows	Chevron Design, 4 rows
<b>Brush Bearings</b>	Sealed, stainless steel ball bearings	Sealed, stainless steel ball bearings
<b>Cleaning Width</b>	12" wide	12" wide
<b>Tank Construction</b>	Polyethylene	Polyethylene
<b>Wheels</b>	7" non-marking	7" non-marking
<b>Power Cord</b>	25 ft.	25 ft.
<b>Dimensions</b>	24"H x 23"L x 12"W	24"H x 23"L x 12"W
<b>Weight</b>	40 lbs.	40 lbs.
<b>Shipping Weight</b>	53 lbs.	53 lbs.
<b>Shipping Dimensions</b>	28"H x 26"L x 15"W	28"H x 26"L x 15"W
<b>Electrical Draw</b>	12 amps	12 amps

## FEATURES:

- Patented self-adjusting, self-leveling brush, and vacuum shoe for effective cleaning of all carpet lengths and uneven floors, plus longer brush life
- A full complement of optional accessories attaches to the back of the unit for cleaning upholstery, stairs, etc.
- Handle adjusts to operator height and folds down for easy storage
- A patented lift-off bucket with a bladder makes filling and emptying incredibly easy
- See-through recovery dome
- Side extension for cleaning right to baseboards
- Upright-mounted vacuum motor and intercooler system combine for long-lasting operation

## OPTIONAL ACCESSORIES:

330-11003FB	10" Single-jet stainless steel wand
357AC	Upholstery tool, 8' vacuum and solution hose assembly and hose bag
357AC-CM	Upholstery tool, 15' vacuum and solution hose assembly and hose bag
341AC	8' vacuum and solution hose assembly
341AC-15	15' vacuum and solution hose assembly



# COMET



## SPECIFICATIONS:

<b>Model</b>	<b>419TR</b>
<b>Solution Tank</b>	3 gallon
<b>Lift-Off Recovery Tank</b>	3 gallon
<b>Solution Pump</b>	50 psi
<b>Vacuum Motor</b>	2 HP, 100 CFM
<b>Water lift</b>	85"
<b>Brush Motor</b>	1/6 HP
<b>Brush Speed</b>	2,500 RPM
<b>Brush Style</b>	Chevron Design, 4 rows
<b>Brush Bearings</b>	Sealed, stainless steel ball bearings
<b>Cleaning Width</b>	12" wide
<b>Tank Construction</b>	Polyethylene
<b>Wheels</b>	7" non-marking
<b>Power Cord</b>	25 ft.
<b>Dimensions</b>	24"H x 23"L x 12"W
<b>Weight</b>	40 lbs.
<b>Shipping Weight</b>	53 lbs.
<b>Shipping Dimensions</b>	28"H x 26"L x 15"W
<b>Electrical Draw</b>	10 amps

## FEATURES:

- Patented self-adjusting, self-leveling brush and vacuum shoe for easy cleaning of all carpet lengths and uneven floors plus longer brush life
- Full complement of optional accessories attaches to the back of unit for cleaning upholstery, stairs, etc.
- Handle adjusts to operator height and folds down for compact storage
- Patented lift-off bucket with bladder makes filling and emptying incredibly easy
- See-through recovery dome
- Side extension for cleaning right to baseboards
- Upright mounted motor and intercooler system combine for long-lasting operation

## OPTIONAL ACCESSORIES:

330-11003FB	10" Single-jet stainless steel wand
357AC	Upholstery tool, 8' vacuum and solution hose assembly and hose bag
357AC-CM	Upholstery tool, 15' vacuum and solution hose assembly and hose bag
341AC	8' vacuum and solution hose assembly
341AC-15	15' vacuum and solution hose assembly



# POLARIS

For wide open spaces where productivity is the bottom line, 800 and 1200 models clean quickly and efficiently. These larger self-contained units come equipped with dual vacuums to clean and dry carpets more thoroughly. The Polaris has a built-in silencer, so you can clean without interrupting the workflow. Top-quality construction, remarkable ease of operation, and versatility combine for a machine

that consistently outperforms the competition.

Dual lift-off recovery buckets with no hose to detach allow easy emptying. Maintenance is also a breeze—remove two screws and open them like a clamshell for quick and easy internal access to the equipment bay.



Quick-fit accessories

## FEATURES:

- Large wheels, adjustable handle, and light-weight construction team up for easy handling and storage
- Optional accessories quickly attach to the rear of the machine for cleaning stairs, upholstery, etc.
- Patented dual lift-off recovery buckets provide quick and convenient emptying
- Patented four-wheel design for balance and reduced turning radius
- High-speed brush motor and brush guarantee powerful agitation to release deeply embedded soil and grit, extending carpet life
- Patented brush system utilizes fully sealed stainless steel ball bearings for years of trouble-free operation

## OPTIONAL ACCESSORIES:

1204ACH D02359-1	Powermate—12" wide power brush Adapter to connect standard 1½" diameter hose assemblies
358AC	Upholstery cleaning kit—upholstery tool, vacuum and solution hose assembly and hose bag
323ACH	Prespray wand
1033-11006FB	Single-jet wand
1034-110015FB	Dual-jet wand
1041AC	15 ft. vac and solution hose assembly with adapter plate
2541AC	25 ft. vac and solution hose assembly with adapter plate



## SPECIFICATIONS:

Model	701PS	801PS	1201PS
<b>Solution Tank</b>	7 gallon	8 gallon	12 gallon
<b>Solution Pressure</b>	120 psi	120 psi	120 psi
<b>Vacuum Motor</b>	112 CFM, 2 HP, 136" lift	Dual 2-stage bypass, 200 CFM, 3.5 HP	Dual 2-stage bypass, 200 CFM, 3.5 HP
<b>Brush Motor</b>	4,200 RPM, 1/6 HP	4,200 RPM, 1/6 HP	4,200 RPM, 1/6 HP
<b>Brush Speed</b>	2,100 RPM	2,100 RPM	2,100 RPM
<b>Brush Style</b>	Chevron design	Chevron design	Chevron design
<b>Brush Bearings</b>	Sealed, stainless steel ball bearings	Sealed, stainless steel ball bearings	Sealed, stainless steel ball bearings
<b>Cleaning Width</b>	17"	19"	19"
<b>Tank Construction</b>	Polyethylene	Polyethylene	Polyethylene
<b>Wheels</b>	7" non-marking	8" non-marking	8" non-marking
<b>Power Cord</b>	50' detachable	50' detachable	50' detachable
<b>Dimensions</b>	39"H x 30"L x 17"W	38"H x 38"L x 19"W	38"H x 38"L x 19"W
<b>Weight</b>	78 lbs.	114 lbs.	120 lbs.
<b>Shipping Weight</b>	103 lbs.	131 lbs.	136 lbs.
<b>Shipping Dimensions</b>	42"H x 34"L x 21"W	42"H x 45"L x 25"W	42"H x 45"L x 25"W
<b>Electrical Draw</b>	15 amps	15 amps	15 amps



# SUPERNOVA

There is literally nothing like the Supernova series—remarkable self-contained carpet extractors that clean in both forward and reverse! The patented two-way system provides unparalleled productivity in any setting—clean up to 4,000 square feet of carpet in one hour. All models operate forward in hallways and other open areas, but with a simple pull of a lever instantly change to reverse to clean corners and other tight areas for a dramatic reduction in labor costs. A specially designed vacuum head allows cleaning on hard floors in addition to carpets, without any cumbersome attachments. Just walk off carpet on to hard floors—it's that simple. Dual vacuum motors and a 19" cleaning width on the 800 and 1200 models combine with a host of other exclusive features to guarantee unrivaled performance.



Optional accessories for carpet cleaning



## SPECIFICATIONS:

Model	800PSN	1200PSN
<b>Solution Tank</b>	8 gallon	12 gallon
<b>Solution Pressure</b>	85 psi	85 psi
<b>Vacuum Motor</b>	Dual 2-stage bypass, 200 CFM, 3.5 HP	Dual 2-stage bypass, 200 CFM, 3.5 HP
<b>Brush Motor</b>	4,200 RPM, 1/6 HP	4,200 RPM, 1/6 HP
<b>Brush Speed</b>	2,100 RPM	2,100 RPM
<b>Brush Style</b>	Chevron design	Chevron design
<b>Brush Bearings</b>	Sealed, stainless steel ball bearings	Sealed, stainless steel ball bearings
<b>Cleaning Width</b>	19"	19"
<b>Tank Construction</b>	Polyethylene	Polyethylene
<b>Wheels</b>	8" non-marking	8" non-marking
<b>Power Cord</b>	50' detachable	50' detachable
<b>Dimensions</b>	38"H x 39"L x 19.25"W	38"H x 39"L x 19.25"W
<b>Weight</b>	113 lbs.	123 lbs.
<b>Shipping Weight</b>	136 lbs.	146 lbs.
<b>Shipping Dimensions</b>	42"H x 45"L x 25"W	42"H x 45"L x 25"W
<b>Electrical Draw</b>	15 amps	15 amps

## FEATURES:

- Two-way system for forward and reverse operation
- Patented self-adjusting, self-leveling brush and vacuum shoes for easy cleaning of all carpet lengths and uneven floors plus longer brush life
- Exclusive “clamshell” body provides fast and easy internal access for quick servicing
- Patented lift-off recovery buckets—no drain hose
- Fully adjustable handle
- Patented 4-wheel design gives extraordinary balance and reduces turning radius for easy maneuverability in tight areas
- Side extension for cleaning right to baseboards
- Dual spray jets on both sides of the brush suspend the soil for increased pick up and faster drying

## OPTIONAL ACCESSORIES:

1204ACH	Powermate—12" wide power brush
D02359-1	Adapter to connect standard 1 1/2" diameter hose assemblies
358AC	Upholstery cleaning kit: upholstery tool, vacuum and solution hose assembly and hose bag
323ACH	Prespray wand
1033-11003FB	Single-jet wand
1034-110015FB	Dual-jet wand
334ACH	Hard floor squeegee wand
1041AC	15 ft. vac and solution hose assembly with adapter plate



To place an order, contact our team at 800.338.3342 • EMAIL [cs@edic-usa.com](mailto:cs@edic-usa.com)

# BRAVO SPOTTER

AVAILABLE WITH HEAT!



The Bravo spotter delivers incredible efficiency and power in a deceptively small package. No set up time—simply unload and begin cleaning immediately. Compact size and maneuverability make it ideal for spotting and quick cleaning of small carpeted areas, upholstery and auto interiors. Operators will appreciate the specially designed molded-in holders that carry spray bottles, leaving the hands free. Over time it's a winner too, thanks to the upright-mounted vacuum motor and oversized recovery tank that combine to insure longer motor life.



## SPECIFICATIONS:

Model	300MH	300MH-HT
<b>Solution Tank</b>	3 gallon	3 gallon
<b>Recovery Tank</b>	3.5 gallon	3.5 gallon
<b>Solution Pressure</b>	55 psi	55 psi
<b>Vacuum Motor</b>	2-stage, bypass	2-stage, bypass
<b>Waterlift</b>	106"	106"
<b>Handle</b>	Adjustable 22-37"	Adjustable 22-37"
<b>Wheels</b>	6"	6"
<b>Power Cord</b>	25'	25'
<b>Heater</b>	NA	1500 watts, stainless steel
<b>Weight</b>	19 lbs.	19 lbs.
<b>Shipping Weight</b>	27 lbs.	27 lbs.
<b>Dimensions</b>	20.5"H x 15"L x 13"W	20.5"H x 15"L x 13"W
<b>Shipping Dimensions</b>	23"H x 18"L x 15.5"W	23"H x 18"L x 15.5"W
<b>Electrical Draw</b>	12 amps	15 amps

## FEATURES:

- Optional in-tank heater delivers 150-degree heat (339MH-HT)
- Unique molded-in holders carry chemical bottles for you
- Large six-inch wheels, a built-in transport handle plus cord wrap assembly make it a snap to wheel about
- Quickly opens up for easy servicing and repair

## OPTIONAL ACCESSORIES:

330-11003FB	10" single-jet wand
334ACH	10" hard-floor squeegee wand
1204ACH	Powermate – 12" wide power brush
323ACH	Prespray wand
342AC	8 ft. hose assembly with quick connects
343AC	8 ft. hose assembly with quick connects for heated Bravo units
1039-9502FB	Stainless steel upholstery tool
1037AC	Upholstery tool, durable plastic head
839ACK	8 ft. hose with 1039-9502FB

## MODELS:

300MH Deluxe model with high performance motor (tools and hose set sold separately)

339MH-HT Bravo with heat, stainless steel tool and hose assembly





# GALAXY 2000

Our exclusive line-up of Galaxy carpet extractors comes "heat-ready." Life's little decisions just got a whole lot easier! You can purchase any Galaxy without heat; if you change your mind, no problem. Order our external heater, attach it to your machine in seconds, and you are now cleaning with HEAT. Placing the heater on the outside ensures that everything inside the machine runs cooler, extending the life of the vacuum and pump motors. The stainless-steel heater tank is guaranteed for life. If a repair is necessary, lift the heater off the back of the machine. Meantime, you can continue to use the unit without heat.

From a seller's standpoint, there is no need to purchase both heated and non-heated units—just stock machines and heaters. Your customers can start with a non-heated model and then upgrade later to heat without buying a new machine.

*Watch the Galaxy Series Video on Your Phone*



## SPECIFICATIONS:

Model	2000SX-HR	2000IX-HR	2000CX-HR∞
<b>Solution Tank</b>	12 gallon	12 gallon	12 gallon
<b>Recovery Tank</b>	11 gallon	11 gallon	11 gallon
<b>Solution Pressure</b>	100 psi	220 psi	500 psi adjustable
<b>Vacuum Motor</b>	Dual 2-stage	Dual 3-stage	Dual 3-stage
<b>Waterlift</b>	150"	190"	190"
<b>CFM</b>	90	100	100
<b>Baseplate</b>	¼" aluminum	¼" aluminum	¼" aluminum
<b>Rear Wheels</b>	10" non-marking	10" non-marking	10" non-marking
<b>Front Casters</b>	4" locking	4" locking	4" locking
<b>Power Cord</b>	50 ft. detachable	50 ft. detachable	50 ft. detachable
<b>Dimensions</b>	35"H x 31"L x 18"W	35"H x 31)L x 18"W	35"H x 31)L x 18"W
<b>Weight</b>	80 lbs.	80 lbs.	89 lbs.
<b>Shipping Weight</b>	96 lbs.	96 lbs.	105 lbs.
<b>Shipping Dimensions</b>	36.5"H x 31.5)L x 19"W	36.5"H x 31.5)L x 19"W	36.5"H x 31.5)L x 19"W
<b>Electrical Draw</b>	13.5 amps	14.1 amps	17.1 amps

∞20 amp circuit required

## Optional Heat N'Run External Heater



# GALAXY PRO

## HEAT READY

The Galaxy Pro is manufactured with the ability to easily add an external water heating system to the machine at any time. On-demand heat is a must-have option to clean heavily soiled carpets. Using hot water when cleaning a carpet with an extractor dramatically increases cleaning results and productivity and reduces the overall cost of cleaning.

## FEATURES:

- Exclusive heat-ready system offers the ultimate in versatility
- The external heater makes repairs a snap and keeps heat away from the electrical components in the motor compartment
- Tough roto-molded body stands up to the rigors of a demanding work environment and has a lifetime warranty
- Upright-mounted vacuum motors, along with a special intercooler, guarantee long life and durability
- Standard 5-gallon bucket fits under drain valve for easy emptying
- Opens quickly like a clamshell for easy servicing
- 17-gallon large-capacity for longer runtimes
- A sealed motor cavity ensures that spills on the outside stay out
- The detachable cord makes it easy to drop the line and wheel the machine to a drain or toilet for emptying
- Galaxy Pro CX offers 500 psi, dual 3-stage vacs, 190" lift, all on a single cord
- Optional hose and wand caddy mounting system available

## OPTIONAL ACCESSORIES:

705HR	2000-watt Heat N'Run heater
1033-11003FB	Single-jet stainless steel wand
1034-110015FB	Dual-jet stainless steel wand (for 100-250 psi machines)
1034-11001FB	Dual-jet stainless steel wand (for 500 psi machines)
334ACH	10" hard floor squeegee wand
1039-9502FB	Stainless steel detailing tool
1204ACH	Powermate—12" wide power brush (specify psi)
988CS	Circuit locator
2540AC-HP	25' vacuum and high pressure solution hose assembly with quick connects
14092A	Hose and wand racks



## SPECIFICATIONS:

Model	2700IX-HR	2700CX-HR*	2700FX-HR
<b>Solution Tank</b>	17 gallon	17 gallon	17 gallon
<b>Recovery Tank</b>	15 gallon	15 gallon	15 gallon
<b>Solution Pressure</b>	220 psi	500 psi	500 psi
<b>Vacuum Motor</b>	Dual, high performance 3-stage	Dual, high performance 3-stage	Dual, high performance 3-stage
<b>Waterlift</b>	190"	190"	210"
<b>Tank Construction</b>	Polyethylene	Polyethylene	Polyethylene
<b>Baseplate</b>	¼" aluminum	¼" aluminum	¼" aluminum
<b>Rear Wheels</b>	10" non-marking	10" non-marking	10" non-marking
<b>Front Casters</b>	4" locking	4" locking	4" locking
<b>Power Cord</b>	50 ft. detachable	50 ft. detachable	50 ft. detachable
<b>Dimensions</b>	38"H x 31"L x 20"W	38"H x 31"L x 20"W	38"H x 31"L x 20"W
<b>Weight</b>	95 lbs.	104 lbs.	104 lbs.
<b>Shipping Weight</b>	111 lbs.	120 lbs.	120 lbs.
<b>Shipping Dimensions</b>	40.5"H x 39"L x 21"W	40.5"H x 39"L x 21"W	40.5"H x 39"L x 21"W
<b>Electrical Draw</b>	15.4 amps	17.1 amps	14.7/11.8 amps

\*20 amp circuit required



# GALAXY 5 AVAILABLE HEAT READY!

One look at our compact yet powerful addition to the Galaxy series, and you will realize that it is possible to have your cake and eat it too! The Galaxy 5 was designed for remarkable heat and power, all housed within an incredibly light-weight and portable package. It is light enough for anyone to handle, and the fold-down handle makes it a snap to transport and store. We have also added an exclusive baffle system for exceptionally quiet operation. The optional external heater can be removed in seconds if a repair is necessary with no downtime to the Galaxy 5. The Galaxy 5 is an obvious choice for auto detailing and for those jobs where a small yet effective unit makes more sense.



## SPECIFICATIONS:

MODEL	500BX	500BX-HR*
<b>Solution Tank</b>	5 gallon	5 gallon
<b>Recovery Tank</b>	4 gallon	4 gallon
<b>Solution Pump</b>	120 psi	120 psi
<b>Heater</b>	Not heat ready	2000W, stainless steel
<b>Vacuum Motor</b>	Single 3-stage	Single 3-stage
<b>Waterlift</b>	136"	136"
<b>Construction</b>	Polyethylene	Polyethylene
<b>Baseplate</b>	1/4" Aluminum	1/4" Aluminum
<b>Rear Wheels</b>	7" non-marking	7" non-marking
<b>Casters</b>	2.5"	2.5"
<b>Power Cord</b>	25' detachable	25' detachable
<b>Dimensions</b>	28"H x 24.5"L x 16"W	28"H x 24.5"L x 16"W
<b>Weight</b>	57 lbs.	57 lbs.
<b>Shipping Weight</b>	65 lbs.	65 lbs.
<b>Shipping Dimensions</b>	30"H x 25.5"L x 17"W	30"H x 25.5"L x 17"W

## FEATURES:

- Optional external heater is easy to install or remove and keeps heat away from the inside of the machine for longer life
- “No drip” motor cavity guarantees water spilled on outside of machine stays out!
- Opens quickly like a clamshell for fast and easy servicing
- Upright-mounted motors along with a special intercooler guarantee long life and durability
- Full complement of optional accessories attaches to the back of unit for cleaning upholstery, stairs, etc.
- Silencer system for quieter operation
- Handle folds down for easy transport and compact storage
- Optional heating system delivers consistent 190 degrees

## OPTIONAL ACCESSORIES:

1204ACH	Powermate – 12" wide power brush
330-11003FB	10" Stainless steel wand
1038-8002FB	Crevice tool
1039-9502FB	Stainless steel upholstery tool
323ACH	Prespray wand
1040AC-HP	15 ft. high pressure hose assembly
2540AC-HP	25 ft. high pressure hose assembly
705HR	2000-watt Heat N'Run heater

\*HEAT READY: EDIC equipment is manufactured with the ability to easily add the Heat N'Run external heating system to the machine at anytime.

# HEAT N'RUN™

## External Heating System

A proven performer, the EDIC external heating system is the most reliable and effective way to clean with heat.

- Specifically engineered to improve the performance of your HEAT READY GALAXY, GALAXY PRO, and select GALAXY 5 models. Add heat to your HEAT READY machine any-time!
- The only EXTERNALLY MOUNTED heater you can add or remove in seconds. If the heater requires servicing, dismount and continue working with your Galaxy extractor while your heater is serviced
- The electrical components and heat element have received upgrades to ensure an even longer life
- Stainless steel tank and heat element eliminate corrosion and clogs that can disrupt your workflow
- Our 2000-Watt model offers 200+ degrees (Fahrenheit) within 90 seconds



Look for the "HR" (Heat Ready) designation on the model number to ensure compatibility with our 2000-Watt heaters.

## SPECIFICATIONS:

Model	702HR	705HR
Watts	1000W	2000W
Pressure	Up to 1300 psi	Up to 1300 psi
Tank Construction	Stainless Steel	Stainless Steel
Power Cord	50' detachable	50' detachable
Shipping Dimensions	8.25"H x 24"L x 8.25"W	8.25"H x 24"L x 8.25"W



# POWERMATE

## Powered Carpet Wand

Why use a standard wand when you can get a combination of powerful brush agitation and speed in a super lightweight attachment with wheels at a competitive price?

The Powermate attaches to any portable unit to rapidly remove deeply embedded soil and grit! A high-speed cylindrical brush gets down to the base of the carpet fibers for more effective cleaning. So lightweight and maneuverable, the Powermate can triple your productivity—no more backaches and fatigue from slow, tedious cleaning with a wand. Available with a 1½" diameter handle. For use up to 500 psi.



## FEATURES:

- Weighs only 15 lbs.
- See-through front cover
- Sealed, stainless steel ball bearings
- High-speed 2500 RPM brush for deep cleaning
- Heavy-duty aluminum handle
- Compatible with all EDIC extractors

## SPECIFICATIONS:

Model	1204ACH
Cleaning Width	12"
Housing	Ultra high-impact ABS
Agitator Brush	Cylindrical, tynex bristles
Brush Motor	1/12 HP
Brush Speed	2500 RPM
Electrical Draw	1 Amp
Power Cord	25'
Weight	15 lbs.
Shipping Weight	28 lbs.
Shipping Dimensions	13.5'H x 49.5'L x 18'W

# TRITON

## CARPET WAND

### Light Weight with Superior Airflow

EDIC's Triton Carpet Wand is the latest in carpet cleaning technology. It provides a lightweight and durable alternative to the traditional stainless-steel wand. The head of the Triton is designed for higher air speed and even/consistent air speed across the width of the wand head, providing optimum water recovery.

Talk about durability – the wand shoe is made of UHMW plastic which has the highest impact strength of any thermoplastic presently made. The wand glides effortlessly across the carpet and wears less because the UHMW plastic shoe has an extremely low coefficient of friction.

#### MODELS:

TR1-95015FS-A	Dual jet: low pressure
TR1-9501FS-A	Dual jet: High pressure



#### SPECIFICATIONS:

MODEL	Triton
Width	12"
Length	60"
Weight	6.5 lbs.
Shipping Weight	12 lbs.
Shipping Dimensions	65"H x 12"L x 13"W

# GLIDEMASTER

## CARPET WANDS

### Single or Dual-Jet Stainless Steel Wands

The Glidemaster wands allow for effective water pickup and soil extraction. The head is winged to prevent overspray and the insulated handle, valve lever and grip ensure operator comfort. The dual-jet version has an S-bend for superior pickup under all types of furniture. Dual-jets guarantee maximum pressure for fast and thorough cleaning. Standard or high-pressure models available—up to 1000 psi. 1½" diameter.

#### MODELS:

330-11003FB	Single jet, 100 psi, 9" head. This wand is perfect for use with smaller extractors like the Fivestar. 1¼" or 1½" diameter available.
1033-11003FB	Single jet: High pressure, 12" head
1034-110015FB	Dual jet: High pressure, 12" head
1034-11001FB	Dual jet: High pressure up to 500 psi, 12" head



#### SPECIFICATIONS:

MODEL	Glidemaster	MODEL	330-11003FB
Width	12"	Width	9"
Length	60"	Length	60"
Weight	7.4 lbs.	Weight	8 lbs.
Shipping Weight	12 lbs.	Shipping Weight	11 lbs.
Shipping Dimensions	65"H x 12"L x 13"W	Shipping Dimensions	65"H x 12"L x 13"W

## UPHOLSTERY &amp; DETAILING TOOLS



A powder coated aluminum tool with a see through window and enclosed spray chamber. A notched design recirculates air reducing water buildup for faster dry times.

**MODEL:**

321ACH      High Pressure—up to 300 psi  
 Width: 3.5"    Length: 7"  
 Weight: 1.5 lbs.    Ship Wt: 3 lbs.



An upholstery kit designed specifically for Fivestar series units. Includes a 321AC type tool and a durable nylon mesh bag. Available in 8 ft. and 15 ft. lengths.

**MODELS:**

357AC-CM    15 ft. hose, tool and bag  
 1.25" diameter  
 357AC        8 ft. hose, tool and bag,  
 1.25" diameter



A 15 ft. upholstery kit tool designed specifically for Polaris and Supernova units. Includes a 321ACH type tool and a durable nylon mesh bag.

**MODEL:**

358AC        15 ft. hose, tool and bag  
 1.5" diameter



Durable stainless steel auto detailing tool specially designed to effectively clean in tight places. High pressure up to 1000 psi.

**MODEL:** 1039-9502FB

Width: 3.5"    Length: 11.5"  
 Weight: 1.7 lbs.    Ship Wt: 3 lbs.



This detailing tool has a durable plastic head to monitor recovery. Up to 100 psi.



Clean those hard to reach areas with the stainless steel crevice tool.

**MODEL:** 1038-8002FB

Length: 17"    Width 3.5"  
 Weight: 3 lbs.    Ship Wt: 5 lbs.



S-bend stair wand, great for cleaning stairs and large vehicles, 1.5".

**MODELS:**

1035-110015FB    "S" bend wand  
 Width: 12"    Length: 36"  
 Weight: 4.5 lbs.    Ship Wt: 7.5 lbs.



Lightweight stainless steel stair tool is made of high quality components and built to last. High pressure up to 1000 psi.



Prespray wand constructed of brass with 25' hose.

**MODEL:**

323ACH — High heat, high pressure  
 Weight: 3 lbs.    Ship Wt: 5 lbs.

# CIRCUIT LOCATOR



So you've got two power cords and you need to find outlets on different circuits? No problem! Just plug the circuit locator with an extension cord into two wall outlets — the sensor instantly lights up when it's good to go. Use it anytime for any equipment. Prevents tripped breakers and potential power overload by taking the guesswork out of locating separate circuits.

**MODEL: 988CS** - with 1 wall outlet plug and one twist-lock to fit EDIC equipment

**MODEL: 989CS** - with 2 wall outlet plugs



## SURFACE DISINFECTION SYSTEM

The COUNTER STRIKE surface disinfecting system is a complete solution for quickly disinfecting surfaces and touch-points in facilities and public areas.

This system is a 5-gallon machine with a 220 psi pump. Standard tools include commercial tough misting gun for quick, effective application of disinfecting chemical, an industrial 25 ft. solution hose with brass quick connects, and a 25 ft. industrial power cord.

The on-board tool caddy system simplifies transporting the COUNTER STRIKE to the job location with all tools and chemical necessary to complete job in one trip.



### SPECIFICATIONS:

Model	500M
<b>Solution Tank</b>	5 gallon
<b>Run Time</b>	1.1 hours wide open
<b>Solution Pump</b>	220 psi
<b>Mist Particle Size</b>	70 Micron VMD
<b>Solution Hose</b>	25' standard (Optional 50', 75' or 100')
<b>Tank Construction</b>	Polyethylene, lifetime warranty
<b>Clam Shell Design</b>	Only two screws to open the equipment bay for easy maintenance or repair
<b>Rear Wheels</b>	7" non-marking
<b>Front Casters</b>	2.5"
<b>Power Cord</b>	25 ft. detachable
<b>Mist Application Gun</b>	Commercial tough, 37" in length, quick change Twist-off tips, in-line filter
<b>Misting Gun Holster</b>	Side mounted for easy transport and storage
<b>Tool Caddy</b>	Top mounted for easy transport of chemical, solution hose, towels and power cord
<b>Folding Handle</b>	Folds flat to machine for compact storage or transport in tight spaces
<b>Weight</b>	36 lbs.
<b>Shipping Weight</b>	57 lbs.
<b>Shipping Dimensions</b>	25" L x 19" W x 33" H

# FLOODBUSTER

## FLOOD PUMPER

### Superior Water Recovery Lightweight | Compact Durable Construction

The super-duty high-volume, FloodBuster flood pumper quickly works the toughest flood restoration jobs. The FloodBuster allows easy transport to and from the job site due to its small size, lightweight, and single-person load capabilities into any vehicle. Its compact design, with 12" rear wheels, 5" front swivel casters, and stair climbing handle design, allows easy storage in any location.

The FloodBuster moves water at 50 GPM (on a single power cord) by using a powerful sump pump and an expansive 1.5" diameter dump hose that outperforms a standard garden hose that comes with other competitor equipment.

When you choose the FloodBuster, you know you'll have industry-leading performance, safety, and water removal in this **BEST-IN-CLASS** machine.

#### SPECIFICATIONS:

Model:	<b>FB50</b>
Pump GPM	50 GPM
Handles Spherical Solids	Up to ½ inch
Vacuum	5.7" Diameter 3-stage
Air Watts	601
Air Flow	110 CFM
Waterlift	158"
Overfill Vacuum Switch	Yes
Large Tank Opening	Yes
Large Debris Screen Basket	Stainless Steel
Vacuum Hose	1.5" x 25' crushproof vacuum hose
Dump Hose	1.5" x 25' with quick connects
Wand Kit	S-bend carpet & hard floor
Handle	Adjustable for easy stair climbing
Rear Wheels	12" ball bearing, non-marking
Front Casters	5" locking
GFCI	Optional
Ergonomic Dolly Style	Yes
Design	
Power Cord	Single 25 ft. detachable
Electric Power	18 amps
Weight	101 lbs.
Dimensions	21" W x 29" L x 31.5" H



#### STANDARD TOOLS



# GALAXY 5 & Auto 3000

## COMES STANDARD WITH HEAT!

The GALAXY 5 and GALAXY AUTO 3000 are ready to meet and exceed the expectations of even the most demanding automotive detailers. Lots of heat, a single high-performance 3-stage vacuum, and a low-flow pump combine to yield squeaky-clean automotive interiors and faster dry times.

The key to our single cord, heated, high-performance automotive detailing extractors is our state-of-the-art LOW FLOW 120 PSI pump. Our pump provides a lower moisture output than our standard carpet extractor pumps while providing powerful agitation to clean even the most soiled automotive interiors and carpets. This lower moisture output requires less energy to extract and less energy to heat.

The Galaxy 5 and AUTO 3000 come with everything you need, plug and play. The standard kit includes a 15 ft. hose assembly, stainless steel auto upholstery tool, and the 1000-WATT heater. The heater provides a consistent 170 degrees of heat in 90 seconds and is externally mounted. Should the heater need servicing, you can remove it in less than 15 seconds and send it out without downtime to your extractor.

## FEATURES:

- Single cord operation
- Low flow 120 PSI pump for longer run-times
- 1000-watt in-line external heater delivering up to 170 degrees in just 90 seconds
- Durable stainless steel heating chamber and heating element
- Exclusive external heating system for easy removal and repair
- External heater design removes heat from the motor compartment keeping the vacuum motors and pump running cooler
- Opens quickly like a clamshell for easy servicing
- Powerful and lightweight – ideal for single operators
- “No drip” motor cavity guarantees water spilled on the outside of the machine stays outside and won’t accumulate in the motor compartment
- Handle folds down for easy transport and compact storage (Galaxy 5 only)

## OPTIONAL ACCESSORIES:

1038-8002FB	Stainless steel crevice tool
1035-110015FB	Stainless steel “S” bend van tool
1039-9502FB	Stainless steel hand tool



## SPECIFICATIONS:

MODEL	539BX-EH	3139BX-EH
<b>Solution Tank</b>	5 gallon	12 gallon
<b>Recovery Tank</b>	3 gallon	11 gallon
<b>Solution Pump</b>	120 psi	120 psi
<b>Vacuum Motor</b>	Single 3-stage	Single 3-stage
<b>Waterlift</b>	117"	117"
<b>Heater</b>	1000 Watts	1000 Watts
<b>Detailing Tool</b>	Stainless Steel	Stainless Steel
<b>Hose Assembly</b>	15'	15'
<b>Tank Construction</b>	Polyethylene	Polyethylene
<b>Baseplate</b>	1/4" Aluminum	1/4" Aluminum
<b>Rear Wheels</b>	7" non-marking	10" non-marking
<b>Casters</b>	2.5"	4" locking
<b>Power Cord</b>	25' detachable	50' detachable
<b>Dimensions</b>	24.5"H x 16"L x 28"W	35"H x 31"L x 18"W
<b>Weight</b>	57 lbs.	88 lbs.
<b>Shipping Weight</b>	66 lbs.	110 lbs.
<b>Shipping Dimensions</b>	25"H x 17"L x 29"W	36.5"H x 31"L x 19"W
<b>Electrical Draw</b>	18.8 Amps	18.8 Amps



# BRAVO SPOTTER

## WITH HEAT!

The 19-pound Bravo spotter delivers incredible efficiency and power in a small package. No set up time—unload and begin cleaning immediately. Compact size and maneuverability make it ideal for spotting and quickly cleaning small carpeted areas, upholstery, and auto interiors. Operators will appreciate the specially designed molded-in holders that carry spray bottles, leaving the hands free. Over time it is a winner, thanks to the upright-mounted vacuum motor and over-sized recovery tank that combine to ensure longer motor life. The Bravo automotive unit comes complete with an 8 ft. vacuum/solution hose assembly, and a stainless-steel auto-detailing tool.

## SPECIFICATIONS:

Model	300MH-HT
<b>Solution Tank</b>	3 gallon
<b>Recovery Tank</b>	3.5 gallon
<b>Solution Pressure</b>	55 psi
<b>Vacuum Motor</b>	2-stage, bypass
<b>Waterlift</b>	106"
<b>Handle</b>	Adjustable 22-37"
<b>Wheels</b>	6"
<b>Power Cord</b>	25'
<b>Heater</b>	1500 watts, stainless steel
<b>Weight</b>	19 lbs.
<b>Shipping Weight</b>	27 lbs.
<b>Dimensions</b>	20.5"H x 15"L x 13"W
<b>Shipping Dimensions</b>	23"H x 18"L x 15.5"W
<b>Electrical Draw</b>	15 amps

# DYNAMO WET/DRY VACUUM

The Dynamo wet/dry vacuum has the power and capacity to tackle the big jobs yet is so quiet you can use it anywhere without interrupting the work environment. This 12-gallon model combines large capacity with ease of transportation and storage. It comes complete with a deluxe 8-piece tool kit and is available with an optional front mount squeegee attachment for quickly removing large amounts of liquid. An optional HEPA filter is available.



## OPTIONAL ACCESSORIES:

335AC	Front-mount squeegee assembly
L11824-1	Paper filter bag



335AC (24")



8-piece tool kit

## FEATURES:

- 1500-watt, in-tank heater delivers 150-degree heat
- Unique molded-in holders carry spray bottles for greater ease
- Stainless steel heating element
- Large 6" wheels and an adjustable transport handle plus cord wrap assembly make it easy to transport
- Carry-along handle increases portability
- Small and light enough to carry with one hand
- Quickly opens for easy servicing and repair

## MODEL:

339MH-HT Bravo with heat, hose assembly and detailing tool



## SPECIFICATIONS:

MODEL	12W
<b>Housing</b>	Polyethylene
<b>Capacity</b>	12 gallon
<b>Vacuum Motor</b>	1200W, single vac, 1.9 HP
<b>Airflow</b>	114 CFM
<b>Waterlift</b>	100"
<b>Power Cord</b>	33 ft.
<b>Noise Level</b>	63 dB
<b>Casters</b>	3"
<b>Wheels</b>	6"
<b>Dolly</b>	Polyethylene
<b>Tool Kit</b>	8-piece deluxe
<b>Filter</b>	Washable cloth
<b>Paper Filter</b>	Optional
<b>HEPA Filter</b>	Optional
<b>Hose</b>	8 ft. w/1.5" swivel connector
<b>Dimensions</b>	33"H x 19"L x 19"W
<b>Weight</b>	30 lbs.
<b>Shipping Weight</b>	50 lbs.
<b>Shipping Dimensions</b>	34"H x 21"L x 21"W
<b>Electrical Draw</b>	13 Amps

# ATLAS 6 & 10 Quart Backpack Vacuums

## COMFORT

Atlas backpack vacuums are lightweight and easy for anyone to handle. The ergonomically-designed Velcro straps at the chest and hips result in a comfortable fit for any sized operator. A unique slide adjustment hooks the shoulder straps together for a higher range of motion. The on/off switch is conveniently located at the hip level and mounted on top for unparalleled ease of operation.



## PERFORMANCE

The Atlas comes with our extraordinary Ultrastat 3-ply composite bags treated with an anti-microbial agent that provides exceptional airflow even when full, allowing for greater productivity. This exclusive filter bag is fitted with a durable plastic rim for an airtight seal, and the seams are sonically welded (as opposed to glued).

The Atlas also utilizes a dome filter made with HEPA media as part of its multi-stage filtration system. Our unique airflow design provides quiet operation, and the baffled exhaust goes out the back, away from the operator, for a higher level of comfort and to provide a final stage of filtration.

The result is an advanced 4-stage filtration system that offers higher dust retention and a much longer filtration cycle with improved durability and efficiency.


## SPECIFICATIONS:

MODEL	600TV	1000TV
Capacity	6 qt.	10 qt.
Watts	1153W	1153W
Electrical Draw	10 Amps	10 Amps
Airflow	120 CFM	120 CFM
Waterlift	108"	108"
Filtration	4 stage	4 stage
Decibels	65 dB	65 dB
Thermally Protected	Yes	Yes
Construction	Polyethylene	Polyethylene
Hose	4' static dissipating hose with swivel cuffs	4' static dissipating hose with swivel cuffs
Power Cord	50' detachable	50' detachable
Filters	Ultrastat Filter	Ultrastat Filter
Cloth Bag	Included	Included
Dimensions	23.5"H x 8"L x 8"W	25"H x 9"L x 9"W
Weight	9.8 lbs.	10.8 lbs.
Shipping Weight with Tools	22 lbs.	23.5 lbs.
Shipping Dimensions	32"H x 13"L x 13"W	32"H x 13"L x 13"W



## STANDARD TOOL KIT

Kit includes carpet tool with scallops, crevice tool, 2-pc S-bend wand, dust brush, 5" upholstery tool and slide-on brush for upholstery tool.



# BACKPACK VACUUM FILTERS

The revolutionary Ultrastat filters are made from a high-efficiency synthetic composite treated with an anti-microbial agent. They have greater dust retention, better filtration efficiency and a longer useful life than a standard microfilter because they provide a much lower pressure drop and therefore better CFM for longer periods of time. The Ultrastat filters are more durably constructed because the seams are sonically welded, as opposed to glued, and the rim is made from a durable plastic instead of cardboard. The Dome filter utilizes HEPA media for filtration.



**Cloth Filter**

L12009 6-quart filter  
L12010 10-quart filter



**Ultrastat Filter**

L12005 6-quart Ultrastat® filters (set of 5)  
L12007 10-quart Ultrastat® filters (set of 5)



**Dome Filter**

K14830 HEPA media

# FLOOR MACHINE ACCESSORIES

## PAD DRIVERS

1603BR 16" block, 17" machine  
1903BR 19" block, 20" machine  
2004BR Flex-lock, 20" hi-speed  
F11988 High speed pad



PAD DRIVER



2004BR

## OPTIONAL ACCESSORIES:

D14638 Weight, Horseshoe, 21 lbs. You can add up to 2 additional weights to the Saturn HD or Saturn Low-Speed  
D14174 Pin Kit for Horseshoe Weight  
390AC Shampoo tank, 4-gallon capacity with brass valve



Optional 21 lb. Weight Kit

# SATURN HEAVY-DUTY

## HEAVY-DUTY LOW-SPEED FLOOR MACHINES

HD stands for Heavy-Duty, and that is precisely what the Saturn HD low-speed floor machine is. With its all-metal construction and steel planetary gearboxes, the Saturn HD can stand up to the heaviest workloads, yet the ride is surprisingly smooth and quiet. The high torque 1.5 HP 66 frame motor with triple planetary gears is totally enclosed and fan-cooled to provide exceptional power and to withstand dust, moisture, and other harsh conditions. The rugged HD units are ideal for sanding, screening, stone care, and concrete work. Features like the quick and easy handle adjustment, anti-fatigue design, and the exclusive “lockout lever” for a safe two-handed start-up make this machine operator friendly and a winner in every commercial setting. Available in 2 different sizes, there is a perfect HD low-speed Saturn for any size job.

### FEATURES:

- All-metal construction assures durability
- Hi-torque, totally enclosed, fan-cooled motor handles dust, moisture, and other harsh conditions
- The rugged HD units are ideal for sanding, screening, stone care, and concrete work
- The all-steel triple planetary gearbox provides heavy-duty yet quiet operation
- Dual-trigger negative pressure switch allows the operator to run with either hand
- Turn a 17-inch machine into a 20" or any other combination by removing just four bolts
- An exclusive “lockout lever” is designed so the operator can safely activate the motor with both hands on the grips
- Wide-gripping handle locking mechanism guarantees a tight lock and smooth adjustment
- Non-marking PVC bumper prevents marks on walls and furniture



### SPECIFICATIONS:


17LS4-BK-SV	20LS4-BK-SV
17" Head	20" Head
172 RPM	172 RPM
1.5 HP, TEFC Motor	1.5 HP, TEFC Motor
Black Powder Coated Brush Cover	Black Powder Coated Brush Cover
113 lbs.	116 lbs.
Anti-fatigue Handle Grips	Anti-fatigue Handle Grips
50' Power Cord	50' Power Cord
11 Amps	11 Amps
Gear box “Steel Triple Planetary”	Gear box “Steel Triple Planetary”
Shipping Weight 130 lbs.	Shipping Weight 133 lbs.
Shipping Dimensions: 48"H x 26.5"L x 23"W	Shipping Dimensions: 48"H x 26.5"L x 23"W

### OPTIONAL ACCESSORIES:

390AC	Shampoo tank for carpets
1603BR	Pad driver for 17 inch Saturn
1903BR	Pad driver for 20" Saturn
D14638	Weight, Horseshoe, 21 lbs. You can add up to 2 additional weights to the Saturn HD
D14174	Pin Kit for Horseshoe Weight



Optional 21 lb. Weight Kit



# SATURN LOW-SPEED

## LOW-SPEED FLOOR MACHINES

No job is too tough for this rugged series of floor machines from EDIC. With its all-metal construction and steel planetary gearboxes, the Saturn can stand up to the heaviest workloads, yet the ride is surprisingly smooth and quiet. The low-speed models are built specifically to handle the stress associated with stripping and scrubbing hard floor surfaces and bonnet cleaning and shampooing carpets. Features like the quick and easy handle adjustment, anti-fatigue design, and the exclusive "lockout lever" for a safe two-handed start-up make this machine operator friendly and a winner in every commercial setting. Available in 2 different sizes, there is a perfect low-speed Saturn for any size job.

### FEATURES:

- All-metal construction assures durability
- All-steel triple planetary gearbox provides heavy-duty yet quiet operation
- Dual-trigger negative pressure switch allows the operator to run with either hand
- Turn a 17-inch machine into a 20" or any other combination by removing just four bolts
- Exclusive "lockout lever" is designed so the operator can safely activate the motor with both hands on the grips
- Wide-gripping handle locking mechanism guarantees a tight lock and smooth adjustment
- Non-marking PVC bumper prevents marks on walls and furniture

### SPECIFICATIONS:

17LS3-BK-SV	20LS3-BK-SV
17" Diameter	20" Diameter
175 RPM	175 RPM
1.5 HP 66 frame Motor	1.5 HP 66 frame Motor
SEVERE DUTY GEARBOX with Triple Planetary Steel Gears	SEVERE DUTY GEARBOX with Triple Planetary Steel Gears
Machine Weight: 95 lbs.	Machine Weight: 98 lbs.
Black Powder Coated Brush Cover	Black Powder Coated Brush Cover
Shipping Weight: 112 lbs.	Shipping Weight: 115 lbs.
Anti-fatigue Handle Grips	Anti-fatigue Handle Grips
50' Power Cord	50' Power Cord
14.4 Amps	14.4 Amps
Shipping dimensions: 48"H x 26.5"L x 23"W	Shipping dimensions: 48"H x 26.5"L x 23"W

### OPTIONAL ACCESSORIES:

390AC	Shampoo tank for carpets
1603BR	Pad driver for 17 inch Saturn
1903BR	Pad driver for 20" Saturn
D14638	Weight, Horseshoe, 21 lbs. You can add up to 2 additional weights to the Saturn HD
D14174	Pin Kit for Horseshoe Weight



PAD Driver INCLUDED




Dual Capacitors



Shown with optional shampoo tank and optional weight kit



Optional 21 lb. Weight Kit



# SATURN HIGH-SPEED

## HIGH-SPEED BURNISHERS

The Saturn burnishers make it simple to bring a smooth, super high-gloss luster to any hard floor surface. Watching these machines in action will make anyone a believer! The perfect combination of weight and high speed produces a spectacular finish in record time. Our traditional 20" models are available in 1500 or 2000 RPM and are designed with an all-metal construction, including a powder-coated brush cover, making them as durable as they are dependable. All models come complete with a flex-lock pad driver and high-speed pad.

### FEATURES:

- Multi-V belt drive reduces the load on bearings and extends motor life
- Smooth operation for reduced operator fatigue
- Unique lockout system prevents accidental start-ups and allows the machine to be activated with both hands on the grips
- All-metal chassis plus stainless-steel cover assure long life and dependability
- Cool running 1.5 HP high-efficiency motor
- Rear transport wheels for easy turning and increased mobility
- Easy motor access for quick servicing
- 75-foot power cord

### OPTIONAL ACCESSORIES

F11988 High speed pad

### SPECIFICATIONS:

20HS1500-BK-SV	20HS2000-BK-SV
20" Head	20" Head
1500 RPM	2000 RPM
1.5 HP 66 Frame DC Rectified Motor, Belt Driven	1.5 HP 66 Frame DC Rectified Motor, Belt Driven
Black Powder Coated Brush Cover	Black Powder Coated Brush Cover
96 lbs.	96 lbs.
Anti-fatigue Handle Grips	Anti-fatigue Handle Grips
75' Power Cord	75' Power Cord
15 Amps	15 Amps
Warranty - 5 year parts & labor	Warranty - 5 year parts & labor
Shipping weight 108 lbs., 54"H x 31"L x 22.5" W	Shipping weight 108 lbs., 54"H x 31"L x 22.5" W

Dual metal switch levers, left or right hand operation

75 Ft. Heavy Duty Cord with  
Durable spring steel strain relief

96 lbs - Optimum weight delivers more resistance against the floor to get the job done better and faster

Extremely durable & convenient handle adjustment mechanism is foot operated.

1.5 HP 66 Frame DC  
Rectified Motor, belt  
driven

5" non-marking  
wheels

Non-marking PVC  
bumper prevents  
marking furniture or  
walls



Comes with a flexible pad driver with threaded pad centering device that conforms to the floor to give you an even and consistent shine



# SATURN DUAL-SPEED

## DUAL-SPEED FLOOR MACHINES

Get more bang for your buck with one floor machine that does the work of two!

Strip, scrub, spray-buff, polish, shampoo, bonnet clean...you name it, the Saturn dual-speed floor machine does it all! Designed for professional floor care maintenance, the dual-speed floor machines from EDIC are equipped with long-wearing steel triple planetary gearboxes, providing heavy-duty yet quiet operation. Safety comes first with the exclusive "lockout" lever that activates the motor while keeping both hands on the handle grips. Use the lower speed setting to scrub and strip, flip the switch to high speed, and polish floors to a glossy luster. Operation is smooth and easy in even the most demanding commercial settings.

### FEATURES:

- All-metal construction with stainless steel brush cover, heavy duty chrome-plated steel handle and 66 frame motor assure durability
- All steel triple planetary gearbox provides heavy duty yet quiet operation
- Turn a 17" machine into a 20" machine, or vise versa, by removing just four bolts
- Dual trigger negative pressure switch allows operator to run with either hand
- Safe two-handed start-up with exclusive "lockout lever"
- Cool running 1.5 HP high efficiency motor
- 50-foot power cord
- Non-marking PVC bumper prevents marks on walls and furniture
- Available in 17" or 20" diameter



### SPECIFICATIONS:

Part #: 17DS3-BK-SV	Part #: 20DS3-BK-SV
17" Diameter	20" Diameter
180/320 RPM	180/320 RPM
1.5 HP 66 frame Motor	1.5 HP 66 frame Motor
Triple Planetary Steel Gears	Triple Planetary Steel Gears
Machine Weight: 86 lbs.	Machine Weight: 92 lbs.
Black Powder Coated Brush Cover	Black Powder Coated Brush Cover
Shipping Weight: 112 lbs.	Shipping Weight: 115 lbs.
Anti-fatigue Handle Grips	Anti-fatigue Handle Grips
50' Power Cord	50' Power Cord
14.4 Amps	14.4 Amps

PAD Driver  
INCLUDED



Shipping dimensions: 48"H x 26.5"L x 23"W

Shipping dimensions: 48"H x 26.5"L x 23"W

### OPTIONAL ACCESSORIES:

1603BR	Pad driver for 17 inch Saturn
1903BR	Pad driver for 20" Saturn

# PRODUCT WARRANTY SUMMARY

## PRODUCT WARRANTY

## Product Warranty Summary

Machine	Stainless Steel Deck Plates & Heater Tanks	Roto-Molded Polyethelene Parts	Motor & Gear Boxes	Vacuum Motors	Pumps	Non-Wear Item Parts	Labor
Fivestar, Polaris, Supernova	N/A	Lifetime	5 Years	5 Years	5 Years	5 Years	5 Years
Endeavor	Lifetime	Lifetime	N/A	5 Years	5 Years	5 Years	5 Years
Galaxy, Galaxy 5, Galaxy Pro	N/A	Lifetime	N/A	5 Years	5 Years	5 Years	5 Years
Bravo	N/A	Lifetime	N/A	5 Years	5 Years	5 Years	5 Years
Automotive Carpet Extractors	Lifetime	Lifetime	N/A	5 Years	5 Years	5 Years	5 Years
Heat N' Run	Lifetime	Lifetime	N/A	N/A	N/A	5 Years	5 Years
FloodBuster	N/A	Lifetime	N/A	2 Years	2 Years	5 Years	5 Years
Revolution	N/A	Lifetime	N/A	N/A	N/A	5 Years	5 Years
Saturn LS, Saturn DS, Saturn HS	Lifetime	N/A	5 Years	N/A	N/A	5 Years	5 Years
Saturn HD	Lifetime	N/A	5 Years	N/A	N/A	5 Years	5 Years
Aqua Dri	N/A	Lifetime	5 Years	N/A	N/A	5 Years	5 Years
Atlas	N/A	Lifetime	N/A	5 Years	N/A	5 Years	5 Years
Dynamo	N/A	N/A	N/A	2 Years	N/A	2 Years	2 Years
CR2 & CR2 Jr.	N/A	Lifetime	N/A	5 Years	5 Years	5 Years	5 Years
TORO	N/A	N/A	N/A	N/A	2 years	2 years	1 year
Counter Strike	N/A	Lifetime	N/A	N/A	5 years	5 years	5 years
PTAC Cleaning Cradle™	N/A	N/A	N/A	N/A	N/A	5 years	5 years

*This applies to all models manufactured after November 1, 2014*

## Register Your Warranty Online:

It is quick and easy to register your product warranty online, visit our website at:

[www.edic-usa.com/warranty](http://www.edic-usa.com/warranty)

## EDIC STANDARD LIMITED WARRANTY PLAN FOR MACHINES MANUFACTURED AFTER 2/14/2017\*

**LIFETIME** on rotationally molded polyethylene tanks, stainless steel heater tank, and Saturn stainless steel brush covers.

**5 YEARS** on service labor, and all other parts not covered by the Lifetime terms.

**2 YEARS** on service labor, and all other parts not covered by the Lifetime terms.

\*5-year warranty applies to automotive extractors manufactured after July 1, 2023



**For questions about products or to place an order, contact our team at:**

**800.338.3342 | [cs@edic-usa.com](mailto:cs@edic-usa.com) | [www.edic-usa.com](http://www.edic-usa.com)**

EDIC © 2023. All Rights Reserved.