





Table of contents

BD 50/55 W AGM (9.998-002.0)	2
10 BD 50/55 W Classic Bp* (1.127-056.0)	3
10 Waste water tank complete BD50/55 classic	6
30 Float regulator complete (9.753-001.0)	8
60 Cap of a tank waste water replacement (9.755-479.0)	10
70 Drain hose with cover Yellow PU (9.753-293.0)	12
20 Fresh water tank complete with fan BD55	13
210 Valve complete BD50/55 classic (9.753-266.0)	18
30 Brush-head station BD50/55 KNA	20
480 Pad disk complete D51 (4.762-534.0)	26
40 Control panel complete BD55 W EU/KAP	28
110 Key complete key switch (4.037-142.0)	30
140 Retainer turbine complete BD50/55 classic (9.753-255.0)	32
151 Counterweight components (9.753-383.0)	34
160 Lifting device brush-head complete BD50/55 classic (9.753-261.0)	36
220 Valve complete BD50/55 classic (9.753-266.0)	38
230 Carriage complete BD50/55 KAP traction	40
20 Wheel drive motor B40W (6.613-512.3)	42
240 Holder suction bar complete BD50/55 EU	43
260 Suction bar parabolic 850mm/33in (4.778-008.0)	45
10 Suction bar top part complete	47
20 Support roller cpl. (4.039-313.3)	49
30 Handle (5.039-314.0)	51
40 Eccentric lever complete (4.035-634.0)	52
9500 Add-on kit deflector roll stackable (2.644-228.0)	54
9540 Conversion kit castor suction bar Walk behind (2.639-453.0)	56
20 Suction bar bottom part complete	58
9500 Add-on kit equipment management Plug-in Connect (2.644-391.0)	60
9510 Machine Connect Module add-on kit NG (2.644-592.0)	62

BD 50/55 W AGM (9.998-002.0)


POS	Article no.	Description	Quantity	Unit
10	1.127-056.0	BD 50/55 W Classic Bp*	1	PC
20	8.642-897.0	Kit SB120 AGM batteries	1	PC






10 BD 50/55 W Classic Bp* (1.127-056.0)

POS	Article no.	Description	Quantity	Unit
10		Waste water tank complete BD50/55 classic	1	PC
20		Fresh water tank complete with fan BD55	1	PC
30		Brush-head station BD50/55 KNA	1	PC
40		Control panel complete BD55 W EU/KAP	1	PC
60	4.683-349.0	Control system CCN B50W	1	PC
70	7.303-086.0	Screw 5x30-10.9-R2R (K-In6Rd)	4	PC
80	6.640-751.0	Adapter plug at the Y CAN	1	PC
90	4.683-344.0	Control system HMI Baseboard advanced + small Display	1	PC
110	6.684-130.0	Terminating resistor plug RJ45 CAN	2	PC
120	4.823-234.0	Cable harness CCN to HMI BD55 EU-W	1	PC
130	4.823-235.0	Cable harness tank BD55 EU-W	1	PC
131	4.823-342.0	Cable harness WMain_WBat_BD50/55	1	PC
140	9.753-255.0	Retainer turbine complete BD50/55 classic	1	PC
151	9.753-383.0	Counterweight components	1	PC
160	9.753-261.0	Lifting device brush-head complete BD50/55 classic	1	PC
180	6.644-530.0	Battery clamp	2	PC
190	6.644-363.0	Fuse replacement 100A	1	PC
200	6.644-348.0	Nut with flange	1	PC
210	5.035-239.0	Covering cap battery terminal +	1	PC
220	9.753-266.0	Valve complete BD50/55 classic	1	PC
230		Carriage complete BD50/55 KAP traction	1	PC
240		Holder suction bar complete BD50/55 EU	1	PC
260	4.778-008.0	Suction bar parabolic 850mm/33in	1	PC
9500	2.644-391.0	Add-on kit equipment management Plug-in Connect	1	PC
9510	2.644-592.0	Machine Connect Module add-on kit NG	1	PC




10 Waste water tank complete BD50/55 classic

POS	Article no.	Description	Quantity	Unit
10	9.763-759.3	Waste water tank for replacement BD 50/55 classic	1	PC
30	9.753-001.0	Float regulator complete	1	PC
40	5.037-591.0	Tank bulk waste yellow	1	PC
50	9.755-482.0	Sealing profile replacement	1	PC
	Item text1: successor of 9.763-050.0			
50	9.763-050.0	Sealing profile 1200mm	1	PC
60	9.755-479.0	Cap of a tank waste water replacement	1	PC
70	9.753-293.0	Drain hose with cover Yellow PU	1	PC
80	6.388-713.0	Hose clip	1	PC



30 Float regulator complete (9.753-001.0)

POS	Article no.	Description	Quantity	Unit	Foot note text
10	9.763-003.0	Float regulator bottom part	1	PC	
20	9.763-034.0	Cone float regulator	1	PC	VERSION 1
20	9.763-333.0	Floater ball	1	PC	VERSION 2
30	9.763-004.0	Seal float regulator	1	PC	
40	9.763-959.0	Cover plate float regulator yellow	1	PC	
50	9.763-044.0	Seal string cellular rubber float regula	1	PC	
60	9.763-047.0	Float cage	1	PC	
70	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	1	PC	
80	9.763-958.0	Strainer float regulator yellow	1	PC	





60 Cap of a tank waste water replacement (9.755-479.0)


POS	Article no.	Description	Quantity	Unit
20	9.755-482.0	Sealing profile replacement	1	PC
30	9.763-872.0	Sealing profile baffle plate 184mm	1	PC
40	9.763-871.0	Bulkhead cover waste water tank	1	PC
50	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	2	PC

70 Drain hose with cover Yellow PU (9.753-293.0)

POS	Article no.	Description	Quantity	Unit
10	9.763-831.0	Cover Drain hose Yellow PU	1	PC








20 Fresh water tank complete with fan BD55

POS	Article no.	Description	Quantity	Unit	Foot note text
10	9.763-760.3	Fresh water tank for replacement BD50/55 classic	1	PC	
30	9.763-925.0	Cover fresh water metering RM	1	PC	
40	9.763-425.0	Wire bracket hose	1	PC	
50	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	26	PC	
60	5.035-358.3	Mounting rope cover fresh water tank packed	1	PC	
70	9.763-763.0	Covering cap front plate BD50/55 classic	1	PC	
90	5.035-341.0	Cover fresh water tank discharge	1	PC	
100	5.035-342.0	Hose connection fresh water discharge	1	PC	
110	6.395-163.3	Angle bushing G1-2	1	PC	
120	5.515-253.0	Seal D34	1	PC	
130	6.310-004.0	Hexagon nut G 1/2"	1	PC	
140	5.035-376.3	Filter discharge	1	PC	
150	9.763-043.0	Seal suction bar air	1	PC	
160	9.763-766.0	Covering cap electronics	1	PC	
161	5.322-512.0	Label EUnited	1	PC	
170	9.763-418.0	Label water adjustment	1	PC	
180	9.763-259.0	Cable support plate	1	PC	
200	9.763-767.0	Plate gutter electronics	1	PC	
210	9.753-266.0	Valve complete BD50/55 classic	1	PC	
220	9.763-885.0	Reed switch with resistance	1	PC	
230	7.312-266.0	Washer 6-A2 ISO 7094	1	PC	
250	9.763-547.0	Lever suction bar aluminium	1	PC	
260	7.312-293.0	Washer 4-A2 ISO 7093-1	1	PC	
270	9.086-218.0	Screw M4X10 TORX T20 TAP-TITE THREAD	1	PC	
280	9.763-901.0	Cylinder magnet D5x24	1	PC	
290	9.753-303.0	Strap spring complete	1	PC	
300	9.763-771.0	Squeegee lifting support	1	PC	
310	6.303-315.0	Screw 8 x 35	4	PC	
320	7.303-086.0	Screw 5x30-10.9-R2R (K-In6Rd)	2	PC	
330	9.763-498.0	Clamp 22,0	2	PC	
340	9.763-116.0	Cable clamp 16	3	PC	
360	5.035-608.0	Wire protecting sleeve	2	PC	
370	9.763-833.0	Elbow nipple	2	PC	


20 Fresh water tank complete with fan BD55


POS	Article no.	Description	Quantity	Unit	Foot note text
380	9.763-827.0	Silicon hose level indicator	1	PC	
390	6.035-072.0	Sphere level indicator D6	1	PC	
400	9.763-880.0	Suction hose DN32 BD50/55 EU	1	PC	
410	6.042-030.0	Fan axial 80×80	1	PC	VERSION 1
420	9.763-834.0	Plate electronics ventilating fan	1	PC	VERSION 1
420	9.763-950.0	Plate ventilation fixed wiring	1	PC	VERSION 2
430	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	4	PC	
460	9.763-945.0	Bracket suction hose	1	PC	
480	7.303-086.0	Screw 5x30-10.9-R2R (K-In6Rd)	4	PC	




210 Valve complete BD50/55 classic (9.753-266.0)

POS	Article no.	Description	Quantity	Unit	Foot note text
10	9.753-417.0	Ball valve G 1/2" for replacement	1	PC	VERSION 1
		Item text1: successor of 9.763-084.0			
10	9.753-417.0	Ball valve G 1/2" for replacement	1	PC	VERSION 2
		Item text1: successor of 9.763-084.0			
10	9.763-084.0	Ball valve G 1/2"	1	PC	
		Item text1: replaced by 9.753-417.0			
20	9.763-518.0	Seal ball valve	2	PC	
30	5.400-136.0	Holder ball valve DN16	1	PC	
40	9.763-764.0	Holder ball valve	1	PC	
50	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	2	PC	
60	5.035-459.0	Coupler piece ball valve	1	PC	
70	9.763-765.0	Bar water ball valve	1	PC	
80	5.035-404.0	Handle	1	PC	
90	6.390-324.0	Hose DN16	0,26	m	
100	6.390-892.0	Spiral hose NW12	0,47	m	
110	6.388-628.0	Elbow connector 1/2"	1	PC	
120	6.390-892.0	Spiral hose NW12	0,18	m	
130	6.641-474.0	Cable tape 8-210	7	PC	







30 Brush-head station BD50/55 KNA


POS	Article no.	Description	Quantity	Unit
10	5.400-700.0	Cover disk worked D51	1	PC
20	6.613-560.0	Gear motor spur gear 24V	1	PC
30	7.312-026.0	Washer 6 -A2 ISO 7089	7	PC
	Item text1: successor of 6.614-022.0			
40	7.306-379.0	Screw M6x30 -A2-70 ISO 14583*	7	PC
50	5.037-537.0	Retainer transmission	1	PC
	Item text1: replaced by 9.772-079.0			
50	9.772-079.0	Retainer transmission for replacement	1	PC
	Item text1: replaced by 9.772-079.0			
60	7.312-268.0	Washer 8-A2 ISO 7094	1	PC
61	5.037-490.0	Guide water D-Kopf	1	PC
70	7.304-395.0	Hexagonal head screw M8x16-8.8-A2E ISO	1	PC
80	5.400-320.0	Additional weight	1	PC
90	9.763-194.0	Screw M6x20 -A2-70 Scotchgrip	7	PC
100	5.039-312.0	Deflector roll D100	1	PC
110	9.763-412.0	Holder deflector roll worked	1	PC
120	7.311-432.0	Hexagon nut M8-1.4305 DIN 985	1	PC
130	7.306-392.0	Cylinder head screw M 8x35 A2 DIN 7984	1	PC
150	5.400-116.0	Retaining bracket discharge	1	PC
160	6.373-689.0	Pipe clamp	3	PC
170	7.306-209.0	Screw M4x20-A2-70 (In6Rd)	10	PC
180	6.388-559.0	Hose clip	1	PC
190	9.763-076.0	Extension spring	1	PC
200	9.763-501.0	Hose clip	1	PC
220	5.400-133.3	Cover for replacement BD	1	PC
230	5.400-168.0	Mounting plate brush-head	1	PC
240	6.303-315.0	Screw 8 x 35	9	PC
250	5.035-673.0	Sliding shoe	1	PC
260	6.343-261.0	Quick-fastener	1	PC
270	5.400-165.0	Suspension brush-head	1	PC
280	6.363-428.0	O-Ring seal 58x3	1	PC
290	7.312-266.0	Washer 6-A2 ISO 7094	2	PC
291	7.313-018.0	Spring washer B6-1.4310 DIN 127	2	PC

30 Brush-head station BD50/55 KNA

POS	Article no.	Description	Quantity	Unit
300	7.306-105.0	Screw M6x30 -8.8-R3R (In6Rd)	2	PC
320	5.400-113.0	Retaining bracket connecting rod	1	PC
330	9.763-901.0	Cylinder magnet D5x24	1	PC
340	9.763-840.0	Covering cap connecting rod	2	PC
350	7.303-118.0	Screw 5x40-A2-70 (In6Rd)	3	PC
360	6.339-007.0	Rubber buffer	2	PC
370	6.303-320.0	Screw M 5x 20-St-R2R	2	PC
380	5.400-135.0	Cover plate electric box	1	PC
390	9.753-320.0	Plug housing assembly	1	PC
410	9.763-489.0	Switch contact 6 mm²	4	PC
420	7.306-211.0	Screw M4x25-A2-70 (In6Rd)	2	PC
430	7.311-028.0	Hexagon nut M 4-04-A2E ISO 4035	2	PC
450	5.400-331.0	Splash guard 1316mm	1	PC
451	5.400-867.3	Splash guard brush 1316mm	1	PC
460	9.763-742.0	Fixing splash guard brush-head	2	PC
470	7.305-048.0	Countersunk screw M5x12 -A2-70 (In6Rd)	2	PC
480	4.762-534.0	Pad disk complete D51	1	PC
481	6.369-079.0	Pad red 508 mm (5 pcs kit)	1	ZSA
482	5.122-015.0	Centerlock	1	PC
490	6.390-892.0	Spiral hose NW12	0,23	m
500	5.400-451.0	Lever roller	1	PC
510	9.763-063.0	Roller D56	2	PC
	Item text1: replaced by 9.772-078.0			
510	9.772-078.0	Roller D56 for replacement	2	PC
	Item text1: successor of 9.763-063.0			
520	4.401-198.0	Ball bearing 6202-2RS -Wälzl.St DIN 625	2	PC
530	7.343-134.0	Locking ring 35x1,5 -ST RF DIN 472	2	PC
540	5.400-309.0	Shaft roller	2	PC
550	5.400-828.0	Distance sleeve 15x20x8	2	PC
560	7.343-076.0	Lock washer 12 -A2 DIN 6799	1	PC
570	6.373-689.0	Pipe clamp	1	PC
580	7.306-209.0	Screw M4x20-A2-70 (In6Rd)	1	PC
590	7.312-266.0	Washer 6-A2 ISO 7094	3	PC

30 Brush-head station BD50/55 KNA

POS	Article no.	Description	Quantity	Unit
610	6.400-009.0	Pressure spring VD 218	1	PC
620	5.400-169.0	Button height adjustment	1	PC
630	6.330-169.0	Spring bush	2	PC
640	5.400-141.0	Blank holder turning knob	1	PC
650	7.312-293.0	Washer 4-A2 ISO 7093-1	3	PC
670	5.400-452.0	Label adjustment brush-head	1	PC




480 Pad disk complete D51 (4.762-534.0)

POS	Article no.	Description	Quantity	Unit
2	5.122-015.0	Centerlock	1	PC
3	5.033-002.0	Retainer brush SWS	1	PC
4	7.303-112.0	Screw 6x20-10.9-R2R (In6Rd)	6	PC
5	7.303-096.0	Screw 4x22-ST-10.9-R2R (IN6RD)	3	PC




40 Control panel complete BD55 W EU/KAP

POS	Article no.	Description	Quantity	Unit	Foot note text
10	9.753-323.0	Control panel top part printed BD50/55 W with foil	1	PC	
30	4.683-203.0	Control system potentiometer circuit board	1	PC	
40	6.388-958.0	Hose	0,006	m	
50	9.763-573.0	Turning knob speed printed	1	PC	
60	9.763-051.0	Micro switch Bp	2	PC	
70	9.763-928.0	Switch direction of travelling	1	PC	
80	9.763-853.0	Display	1	PC	
90	6.037-143.0	Key switch bottom part complete Reed	1	PC	VERSION 2
91	6.643-556.0	Terminal clamp	1	PC	VERSION 1
95	4.037-141.0	Key switch bottom part complete Reed	1	PC	VERSION 1
100	5.641-008.0	Nut with shaft M16x1.5	1	PC	
110	4.037-142.0	Key complete key switch	1	PC	
120	9.763-397.0	Control panel bottom part	1	PC	
140	9.763-398.0	Dead man's switch	1	PC	
150	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	2	PC	
160	6.303-315.0	Screw 8 x 35	4	PC	
170	4.683-344.0	Control system HMI Baseboard advanced + small Display	1	PC	
180	7.303-334.0	Screw 3x6 -A2-70 (In6Rd)	4	PC	
190	6.684-130.0	Terminating resistor plug RJ45 CAN	2	PC	
200		Cable harness adapter Key-Switch BD55	1	PC	




110 Key complete key switch (4.037-142.0)

POS	Article no.	Description	Quantity	Unit
1	5.037-925.0	Key alu key switch	1	PC




140 Retainer turbine complete BD50/55 classic (9.753-255.0)

POS	Article no.	Description	Quantity	Unit
10	9.753-319.0	Enclosure turbine assembly	1	PC
30	6.273-196.0	Seal string cellular rubber	0,95	m
50	5.363-395.0	Seal	1	PC
60	5.400-330.0	Joint ring vacuum motor	1	PC
70	6.490-364.0	Blower motor	1	PC
	Item text1: replaced by 6.490-364.3			
70	6.490-364.3	Blower motor for replacement	1	PC
80	5.400-329.0	Bearing vacuum motor	1	PC
90	9.763-835.0	Seal	1	PC
100	7.303-109.0	Screw 5x25-10.9-R2R (In6Rd)	9	PC




151 Counterweight components (9.753-383.0)

POS	Article no.	Description	Quantity	Unit
10	9.763-960.0	Counterweight fixed plate	1	PC
20	9.763-961.0	Counterweight plate	9	PC
30	7.312-017.0	Washer 8-A2 ISO 7089	2	PC
40	7.303-275.0	Screw 8x50-10.9-A3E (In6Rd)	2	PC
50	7.313-018.0	Spring washer B6-1.4310 DIN 127	2	PC
60	6.303-556.0	Hexagon socket screw M6x100	2	PC




160 Lifting device brush-head complete BD50/55 classic (9.753-261.0)

POS	Article no.	Description	Quantity	Unit
10	5.400-766.0	Suspension brush-head worked	1	PC
20	6.339-108.0	Rubber buffer	1	PC
30	9.763-838.0	Groove stone worked	1	PC
40	7.306-131.0	Screw M6x45 -8.8-P2R (In6Rd)	1	PC
50	6.444-963.0	Washer	1	PC
	Item text1: replaced by 7.312-260.0			
50	7.312-260.0	Washer 6-100HV-A3E ISO 7094	1	PC
60	7.311-512.0	Hexagon nut M6-8-A2E ISO 7040	1	PC
70	7.316-209.0	Bolt B 10x55 St-A2E ISO 2341	1	PC
80	7.316-345.0	Cotter 3,2x32-St-A2E ISO 1234	1	PC
90	5.400-120.0	Bearing sleeve	2	PC
100	6.303-315.0	Screw 8 x 35	4	PC
110	9.763-740.0	Plate conscription brush head	1	PC
120	7.312-005.0	Washer 10-200HV-A3E ISO 7089	2	PC
130	7.304-417.0	Hexagonal head screw M10x30-8.8-A3E ISO	2	PC
140	5.400-151.0	Pedal brush-head	1	PC
150	7.311-432.0	Hexagon nut M8-1.4305 DIN 985	1	PC
160	7.306-041.0	Cylinder head screw M8x20-8.8-A2E ISO 4762	1	PC
170	5.400-129.0	Guide conscription brush-head	1	PC
180	5.400-822.0	Stop lifting brush-head	1	PC
190	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	7	PC



220 Valve complete BD50/55 classic (9.753-266.0)

POS	Article no.	Description	Quantity	Unit	Foot note text
10	9.753-417.0	Ball valve G 1/2" for replacement	1	PC	VERSION 1
		Item text1: successor of 9.763-084.0			
10	9.753-417.0	Ball valve G 1/2" for replacement	1	PC	VERSION 2
		Item text1: successor of 9.763-084.0			
10	9.763-084.0	Ball valve G 1/2"	1	PC	
		Item text1: replaced by 9.753-417.0			
20	9.763-518.0	Seal ball valve	2	PC	
30	5.400-136.0	Holder ball valve DN16	1	PC	
40	9.763-764.0	Holder ball valve	1	PC	
50	7.303-104.0	Screw 5x16 -A2-70 (IN6RD)	2	PC	
60	5.035-459.0	Coupler piece ball valve	1	PC	
70	9.763-765.0	Bar water ball valve	1	PC	
80	5.035-404.0	Handle	1	PC	
90	6.390-324.0	Hose DN16	0,26	m	
100	6.390-892.0	Spiral hose NW12	0,47	m	
110	6.388-628.0	Elbow connector 1/2"	1	PC	
120	6.390-892.0	Spiral hose NW12	0,18	m	
130	6.641-474.0	Cable tape 8-210	7	PC	




230 Carriage complete BD50/55 KAP traction

POS	Article no.	Description	Quantity	Unit
10	5.400-102.3	Carriage for replacement B50	1	PC
20	6.613-512.3	Wheel drive motor B40W	1	PC
30	5.035-351.0	Holder wheel drive motor	2	PC
40	6.303-315.0	Screw 8 x 35	12	PC
50	7.318-009.0	Parallel key 5x5x40-C45K DIN 6885	2	PC
60	6.035-055.0	Wheel transmission conductive D200x50	2	PC
70	7.312-057.0	Washer 16 -A2 ISO 7089	2	PC
80	7.343-029.0	Locking ring 17x1-FST-RF DIN 471	2	PC
90	9.763-826.0	Castor	2	PC
110	6.472-007.3	Solenoid valve 24 V	1	PC
	Item text1: replaced by 6.472-010.3			
110	6.472-010.3	Solenoid valve media separated 24 V Deltrol	1	PC
	Item text1: successor of 6.472-007.3			
120	9.763-885.0	Reed switch with resistance	1	PC
130	5.400-159.0	Retainer sensor	1	PC
140	7.303-108.0	Screw 5x20-10.9-R2R (In6Rd)	1	PC
150	6.650-605.0	Cable tie with clip	4	PC
160	7.312-017.0	Washer 8-A2 ISO 7089	9	PC
170	7.303-275.0	Screw 8x50-10.9-A3E (In6Rd)	9	PC


20 Wheel drive motor B40W (6.613-512.3)

POS	Article no.	Description	Quantity	Unit
10	6.490-069.0	Carbon brush set	1	PC



240 Holder suction bar complete BD50/55 EU


POS	Article no.	Description	Quantity	Unit
10	5.400-066.0	Lever conscription suction bar	1	PC
20	5.400-730.0	Joint suction bar worked	1	PC
30	5.400-537.0	Washer POM	2	PC
40	5.400-310.0	Sleeve collar	2	PC
50	5.400-132.0	Washer	2	PC
60	7.303-186.0	Saucer-head screw M8x40 -St-A0P DIN 603	2	PC
70	7.311-510.0	Hexagon nut M8-8-A2E ISO 7040	2	PC
80	5.400-729.0	Holder suction bar worked	1	PC
90	5.400-306.0	Bolt D14x71	1	PC
100	7.343-306.0	Lock washer 12-St-A2E DIN 6799	3	PC
110	5.400-307.0	Bolt D14 x 38	1	PC
130	9.763-855.0	Bolt D14x59	1	PC
140	9.753-382.0	Welding sleeve binder	1	PC
150	9.763-824.0	Holder connection lifting	1	PC
160	7.311-026.0	Hexagon nut M12-1.4305 DIN 985	1	PC
190	5.039-303.0	Retainer handhold suction bar	1	PC



260 Suction bar parabolic 850mm/33in (4.778-008.0)


POS	Description	Quantity	Unit
10	Suction bar top part complete	1	PC
20	Suction bar bottom part complete	1	PC

10 Suction bar top part complete



10 Suction bar top part complete

POS	Article no.	Description	Quantity	Unit
10	4.400-000.3	Top part suction bar finished part 850mm	1	PC
20	4.039-313.3	Support roller cpl.	2	PC
21	7.312-292.0	Washer 6 -A2 ISO 7093-1	12	PC
21	8.601-385.0	WASHER, M6 FNDR SS ISO7093	12	PC
	Item text1: replaced by 7.312-292.0			
23	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	2	PC
30	5.039-314.0	Handle	2	PC
31	7.343-304.0	Lock washer 15 -A2 DIN 6799	2	PC
40	4.035-634.0	Eccentric lever complete	2	PC
50	5.039-312.0	Deflector roll D100	2	PC
51	7.306-245.0	Cylinder head screw M 8x30 A2-70 DIN 7984	2	PC
52	5.400-800.0	Fixing washer deflector roll M8	2	PC
70	5.039-367.0	Insert snap-fit right	1	PC
71	5.039-368.0	Insert snap-fit left	1	PC
72	7.303-212.0	Screw 5x20-A2-70 (K-In6Rd)	2	PC
80	5.039-311.0	Seal suction bar	1	PC
90	6.803-073.0	Level	1	PC
91	5.039-310.0	Seal	1	PC
9500	2.644-228.0	Add-on kit deflector roll stackable	1	PC
9540	2.639-453.0	Conversion kit castor suction bar Walk behind	1	PC




20 Support roller cpl. (4.039-313.3)

POS	Article no.	Description	Quantity	Unit
10	5.039-306.0	Holder support roller	1	PC
20	5.039-304.0	Axle support roller	1	PC
30	6.435-577.0	Wheel D 50 mm	1	PC
40	7.343-202.0	Lock washer 5-A2 DIN 6799	2	PC


30 Handle (5.039-314.0)

POS	Article no.	Description	Quantity	Unit
10	7.311-068.0	Hexagon nut M 8-A2-70 ISO 4032	1	PC




40 Eccentric lever complete (4.035-634.0)

POS	Article no.	Description	Quantity	Unit
20	5.039-408.0	Eccentric lever linear guiding finished part	1	PC
30	5.039-302.0	Bolt	1	PC
40	5.039-585.0	Pressure spring	1	PC
50	7.312-007.0	Washer 6,4x30x1,5 -A2-70 DIN 522-C	1	PC
60	7.306-194.0	Screw M6x20 -A2-70 ISO 14583	1	PC
70	5.039-513.0	Seal linear guiding eccentric	1	PC




9500 Add-on kit deflector roll stackable (2.644-228.0)

POS	Article no.	Description	Quantity	Unit
10	5.039-312.0	Deflector roll D100	6	PC
20	5.400-801.0	Spacer sleeve	6	PC
30	7.306-246.0	Cylinder head screw M 8x100 A2-70 DIN 7984	2	PC



9540 Conversion kit castor suction bar Walk behind (2.639-453.0)

POS	Article no.	Description	Quantity	Unit
10	5.039-855.0	Retaining plate castor suction bar parab	2	PC
20	6.435-179.0	Castor for thread deflector	2	PC
	Item text1: replaced by 9.763-636.0			
20	9.763-636.0	Castor for thread deflector	2	PC
30	7.306-234.0	Cylinder head screw M10x20-A4-70 ISO 4762	2	PC
40	6.996-526.0	Serrated locking washer d.10	2	PC
50	7.311-382.0	Cap nut M10-6-A3E DIN 1587	2	PC
60	7.306-129.0	Screw M6x40 -8.8-P2R (In6Rd)	2	PC
70	5.250-637.0	Distance bush	2	PC
80	7.312-292.0	Washer 6 -A2 ISO 7093-1	12	PC
80	8.601-385.0	WASHER, M6 FNDR SS ISO7093	12	PC
	Item text1: replaced by 7.312-292.0			
90	7.311-422.0	Hexagon nut M 6-1.4305 ISO 10511	2	PC



20 Suction bar bottom part complete

POS	Article no.	Description	Quantity	Unit
10	5.400-063.0	Internal part suction bar 850mm/33in	1	PC
11	7.304-262.0	Hexagonal head screw M8x60-A4-70 ISO 40	2	PC
12	7.311-427.0	Hexagon nut M8-04-A2E DIN 985	2	PC
40	4.400-044.0	Tightening strap cpl. 850mm/33in	1	PC
9500	4.400-005.0	Suction lip set PU 850mm/33in	1	PC
9500	4.400-011.0	Suction lip set Linatex 850mm/33in	1	PC
9500	4.400-090.0	Suction lip set natural rubber 850mm/33in	1	PC

9000



9001



9500 Add-on kit equipment management Plug-in Connect (2.644-391.0)

POS	Article no.	Description	Quantity	Unit
9000	4.823-414.0	Set antenna	1	PC
9001	4.823-415.0	Adhesive strip for replacement	1	PC

9510 Machine Connect Module add-on kit NG (2.644-592.0)

POS	Article no.	Description	Quantity	Unit
10	4.683-500.3	Machine Connect Module Next Generation	1	PC
20	6.882-004.0	Cable patch cable 0,25m black	1	PC
30	6.882-003.0	Cable patch cable blue 0,70m	1	PC
40	7.303-095.0	Screw 4x12-ST-10.9-R2R (IN6RD)	1	PC
45	7.303-032.0	Screw M4x12 -St-R2R (In6Rd)	3	PC